

CHARACTERISTICS OF COTTON VARIETIES

S. #	Variety	Year of release	Institution	Y/hec: (in Kgs)		Early / late	Days to Maturity	Plant Height (C. M)	Av. No. of Bolls / Plant	Staple Length	Staple Strength (mm)	Macronaire	Fineness	Ginning Out turn%
				Potential	Av:									
01	02	03	04	05	06	07	08	09	10	11	12	13	14	15
01	Reshmi	1991	A. R. I. TandoJam	3688	2200	Medium	150-160	117	35-40	31.0	103	4.04	77.3	35.2
02	Shahbaz	2001	A. R. I. TandoJam	4610	3227	Early	130-140	120	45-55	28.0	90	4.20	84.0	--
03	Chandi	1996	N. I.A TandoJam	5500	3750	Medium Early	135-145	118	55-60	29.0	97	4.2	--	35.0
04	Sohni	2002	N. I.A TandoJam	5000	3500	Early	125-135	110	50-55	27.5	98	4.5	--	37.5
05	CRI-9	1992	CRI, Sakrand	2965-3460	2965 - 3460	Early	150-160	110- 118	28-30	26.3	--	4.4-4.8	--	34.4
06	CRI-121	--	CRI, Sakrand	2965-3460	2965	Early	150-160	120- 125	42	26.1	98	4.6-4.9	--	34.8
07	CRI-134	2004	CRI, Sakrand	4448-5436	2965 - 3954	Early	140-150	115- 130	40-445	22.5	--	4.0-4.5	--	--